Hawk is your source for rotary, orbital and high speed floor machines, along with the accessories and supplies that maximize their performance.

Hawk is an innovator in development of orbital floor machine technology. We currently offer five platforms of orbital equipment, making us a leader in the industry.

Breakthrough advancement continues with our unique WD™ Wheels Down design with floating head. The result is substantial improvements in safety and productivity. Now available on both rotary and orbital floor machines.

When it comes to custom design and private branding, look no further. No other manufacturer offers more choices, lower minimums, or greater value than Hawk Enterprises.

HAWK ENTERPRISES

HAWK Floor Machines
HAWK Floating Head Floor Machines
HAWK Specialty Machines

Standard Duty Floor Machines

HAWK HD & XHD

- Reliable floor machine performance for hard floor and carpet care
- 13”, 15”, 17” & 20” sizes
- 1.5 HP, 66 frame AC motor
- 50 ft., 14-3 commercial power cord
- **HD** - 10:1 helical-cut, triple planetary commercial gears drive brushes at 175 RPM
- **XHD** - 11:1 helical-cut, triple-planetary industrial gears drive brushes at 165 RPM

HAWK 2-Speed & XHD 2-Speed

- 13”, 15”, 17” & 20” sizes
- 1.5 HP, 66 frame 2-speed DC motor
- **2-Speed** - 10:1 helical-cut, triple planetary commercial gears drive brushes at 175/320 RPM
- **XHD 2-Speed** - 11:1 helical-cut, triple-planetary industrial gears drive brushes at 165/300 RPM

Floating Head Floor Machines

HAWK Glide Freedom , XHD &TEFC Floor Machines

- Strip, scrub & maintain carpets with WD™ Wheels Down detachable handle carriage design
- 100% contact with the floor
- Focus of movement is forward & backward
- 17”, 20” sizes
- **Freedom** - 1.5 HP DC motor. 10:1 triple-planetary commercial gears drive brushes at 175 RPM
- **XHD** - 1.5 HP DC motor. 11:1 triple-planetary industrial gears drive brushes at 165 RPM
- **TEFC -** 1.0 HP AC motor. 11:1 triple-planetary industrial gears drive brushes at 165 RPM

HAWK Glide 2-Speed & XHD 2-Speed Floor Machines

- 17”, 20” sizes
- 1.5 HP, 66 frame 2-speed DC motor
- **HD** - 10:1 triple-planetary commercial gears drive brushes at 175/320 RPM
- **XHD** - 11:1 triple-planetary industrial gears drive brushes at 165/300 RPM

Severe-Duty Floor Machines

HAWK Brute Floor Machines

- Scrub, sand, screen, scrape, care for stone & concrete. Use in harshest conditions of dust, moisture & chemicals.
- 1.5 HP, 180 frame TEFC AC motor
- 11:1 helical-cut, triple-planetary industrial gears drive brushes at 165 RPM
- Add up to 75 lbs. horseshoe or hex weights for down pressure and faster results
- **Brute TEXHD** - 13”, 17” & 20” sizes. Coated motor and coated parts.
- **Brute TECP** 13”, 17” & 20” sizes. Chromed finish motor and coated brush parts.
- **Brute** - 13”, 15”, 17” & 20” sizes. Chromed finish motor and chromed parts.
- **Brute 360 -** 17” & 20” sizes. Built-in dust pick up system with hose clamp. 2"x6" wheels.

HAWK Pro Floor Restoration Machine

- Designed and engineered for the professional with motor power, industrial gears, upper handle lock and wider handles
- 13”, 17” & 20” sizes
- 1.5 HP, 180 frame TEFC AC motor
- Coated motor and coated parts
- 11:1 helical-cut, triple-planetary industrial gears drive brushes at 165 RPM
- 50 ft., 2-part 12-3 industrial power cord
- 17” and 20” machines include (2) 25 lb. pin-lock weights for extra down pressure and faster results
- Includes 4-gallon no-spill solution tank, splash guard & HD pad driver

Severe-Duty Floating Head Floor Machines

HAWK Merlin WD™ Floor Machines

- 17”, 20” sizes
- 1.5 HP, 180 frame, TEFC AC motor. 11:1 helical-cut, triple-planetary industrial gears drive brushes at 165 RPM
- Heavy-duty WD™ Wheels Down handle disassembles for transport
- Includes 80 lb. removable weight set
- Heavy-duty 2” x 8” non-marking wheels
- 50 ft. 2-part, 12-3 industrial power cord
- **Merlin TEXHD -** Coated motor and coated parts
- **Merlin TECP -** Chromed motor and coated parts
- **Merlin 360 -** Built-in dust pick up system, lift assist & hose clamp
- **Merlin 2-Speed -** 1.5 HP, 66 frame, 2-speed DC motor. 165/300 RPM brush speed.

Specialty Floor Machines

HAWK Mighty & Mini-Mighty Small Area Floor Machines

- Plenty of power for stripping, scrubbing & polishing in tight spaces, restrooms, floor edges and stairs
- 1.0 HP, TEFC dual capacitor AC motor
- 11:1 helical-cut, triple-planetary industrial gears drive brushes at 165 RPM
- 50 ft. 14-3 SJT power cord with molded plug
- Optional 2.5 gallon solution tank and splash guards
- **Mighty** - 13”, 15” and 17”. Available with standard 48” handles, or with 36” to 48” tall telescoping handles.
- **Mini-Mighty** - 10”. Available with 24” or 48” handle.

HAWK ENTERPRISES - 2902 Park Six Court - Elkhart, IN 46514 - (574) 294-1910 - www.hawkenterprises.com

HAWK ENTERPRISES

HAWK Grinder Polisher
HAWK Orbital Floor Machines
HAWK High Speed Burnishers

Grinder Polisher

HAWK GP 26
Grinder Polisher

- Grind, polish and clean with dual 1.0 HP TEFC motors w/XHD Gears at 165 RPM
- 26 inch path with two 13" drivers or brushes
- 6 gal. solution tank w/pump for wet work
- Built-in dust control system for dry work
- Operator controls forward and reverse directions
- Handle forward for transport, up for changing tools, and back for operation
- USB charging port
- Optional Magnetized Hi-Intensity LED Spot light

Includes (2) CLAW Drivers (order 3" round or trapezoid tools separately)

Orbital Floor Machines

TigerHawk 2014
TigerHawk 2814
Orbital Floor Machines

- Dry strip, wet strip and scrub along walls and into corners
- 1.5 HP, 180 frame TEFC AC motor
- Eccentric balanced orbital drives pads at 1740 RPM
- WD™ Wheels Down pin-lock handle disassembles in 60 seconds without tools for transit and storage
- **TigerHawk 2014** weighs 250 lbs. for 0.90 lbs./sq.in. down pressure. 20" x 14" pads
- **TigerHawk 2814** weighs 305 lbs. for 0.78 lbs./sq.in. down pressure. 28" x 14" pads.
- Optional 6 quart tank vacuum kit or 4 gallon solution tank
- Includes the transport cart
- UL/CUL Listed

HAWK RedTail 1410
HAWK RedTail 2014
Orbital Floor Machine

- Revolutionary floating head machine is easy to maneuver with less vibration and fatigue than other brands
- Strips, scrubs and polishes
- TEFC AC motors are maintenance free
- Floating head WD™ handle design w/2 part cord. All steel construction.
- **RT 1410** Weighs 107 lbs. for 0.76 lbs./sq.in. down pressure
- **RT 2014** Weighs 171 lbs. for 0.61 lbs./sq.in. down pressure
- Eccentric balanced orbital drives pads 10 times faster than rotary floor machines
- Optional dust skirt and vacuum assembly kit
- Quiet 66 dB operation

High Speed Burnishers

HAWK High Speed Burnishers

- Hawk High Speed machines are known for balance, durability and value
- 13", 15", 17" & 20" standard models
- 17" and 20" dust control models
- 50 ft. commercial 14-3 power cord
- Welded steel frame, chromed HD steel handle with variable position lock. Coated steel parts.
- **DC Motor -** 1.5 HP, 66 frame, DC rectified motor. Multi V-belt drives pads on 1500, 1800 and 2000 RPM models.
- **AC Motor -** 1.5 HP, TEFC AC motor. Multi V-belt drives pads on 1000, 1250 and 1500 RPM models.

HAWK Centerfold
Burnisher

- Non-locking handle keeps the burnisher head at constant pad pressure for consistent shine
- 13", 15", 17" & 20" standard models
- 17" & 20" dust control models
- 50 ft. easy wrap power cord
- **DC Motor -** 1.5 HP, 66 frame, DC rectified motor. Multi V-belt drives pads on 1500, 1800 and 2000 RPM models.
- **AC Motor -** 1.5 HP, TEFC AC motor. Multi V-belt drives pads on 1000, 1250 and 1500 RPM models.

BlackHawk Floor Machines

BlackHawk
Floor Machine

- 17" & 20" sizes
- 1.5 HP, 66 frame, rectified dual capacitor motor
- 50 ft., 2-part power cord
- Detachable handle w/pin-set lock
- 10:1 triple-planetary gears or optional 11:1 XHD gears
- Includes Hawk-Lok pad driver

BlackHawk
High Speed Burnishers

- 20" size
- Detachable handle w/floating head
- 1.5 HP, TEFC AC motor. V-belt drives pads at 1250 RPM.
- 1.5 HP, DC rectified motor. V-belt drives pads at 1500 RPM.
- 50 ft., 2-part power cord

HAWK ENTERPRISES - 2902 Park Six Court - Elkhart, IN 46514 - (574) 294-1910 - www.hawkenterprises.com

HAWK ENTERPRISES

HAWK Floor Prep Tools
HAWK Tank Vacuums

HAWK Floor Prep Tools



HAWK CLAW Pro Driver
- Drives round & trapezoid tools for stone & concrete finishing
- 10”, 13”, 15”, 17” & 20” sizes
- Mag-lok industrial magnetic tool mounting

Orbitec Diamond Tool Driver
- 13”, 17” and 20” sizes
- Independent sealed-bearing tool holders drive tools up to 400 RPM
- Custom milled metal clutch plate



XHD Scraper Blade Driver
- 13”, 17” & 20” steel drive plate with molded riser and universal aluminum clutch plate
- (6) replaceable tungsten steel scraping heads. Each head holds one 1”x1” carbide steel blade with (8) cutting edges



HAWK Weighted Diamond Driver
- 13”, 17” & 20” steel drive plates w/molded riser and universal aluminum clutch plate
- Neoprene pad with hook & loop facing

HAWK GRIP Diamond Pad Driver
- Drives round 3" diamond tools and floor pads
- 17", 20" sizes with universal metal clutch
- Mag-lok industrial magnetic tool mounting

HAWK Talon Floor Machines

16” Size (2) 8” Disk Brushes (shown)

(1) 6” or 8” Disk Brush

Pad Driver

Nylon

Grit

HAWK Twin Talon
Dual Motor Polisher - Edger
- Scrub and polish tight spaces
- 12”, 14” and 16” sizes
- Dual 1/8 HP motors counter-rotate at 500 RPM
- 22.5 lbs. 35 ft., 2-part power cord
- Mag-lok tool mount

HAWK Talon
Tight Area Floor Machine
- Detail floor scrubber & edger
- 6” and 8” brush sizes
- Adjustable height steel handle
- 1/8 HP motor drives pads, disk and radial brushes at 500 RPM
- 35 ft., 2-part power cord
- Mag-lok tool assembly

HAWK Tank Vacuums

HAWK Harrier
6 Qt. Backpack Vacuum
- Thermally protected 2-stage motor
- 35 ft., 2-part power cord
- 118” lift, 114 CFM air flow
- Belt-mounted On/Off switch
- 1.5“ Wand & Tool Kit

HAWK V20
20 Gal. Wet/Dry Tank Vacuum
- Non-corrosive polyethylene tank
- 2-stage 2 HP motor w/ 117” lift
- 35 ft., 2-part power cord
- 1.5“ Wand & Tool Kit
- Optional front mount squeegee

HAWK Titan
Wet/Dry Tank Vacuum
- Non-corrosive polyethylene tank
- 2-stage 2 HP motor w/ 117” lift
- 35 ft., 2-part power cord
- 3/16" steel frame
- 1.5“ Wand & Tool Kit

HAWK Titan 29
- 29 gallon tank. 22 gallon wet pickup. 2 bushel dry pickup.
- 1.5” drain valve
- 8” rear wheels, 5” front castors
- Optional front mount squeegee (V29-FMS)

HAWK Titan 55
- 55 gallon tank. 48 gallon wet pickup. 4 bushel dry pickup.
- 3” drain valve

HAWK Flight Speed
Water/Solvent Applicator
- Apply water-based and solvent-based coatings up to 27,500 sq. ft. per hour
- Three aluminum applicator sizes 28”, 36” & 48”
- Use lambswool applicator with 3” wide synthetic pad for solvent-based finishes
- Use microfiber 4” wide pads for water-based finishes
- Pads mount easily with harpoon hook driver
- 12 V. battery-powered 70 PSI pump
- 8” wheels w/ Magnetic Sensor Control

HAWK ENTERPRISES - 2902 Park Six Court - Elkhart, IN 46514 - (574) 294-1910 - www.hawkenterprises.com

HAWK
ENTERPRISES

HAWK Air Movers
HAWK Floor Machine Accessories

HAWK Air Movers

HAWK BH25AD
1720 CFM Axial Air Mover

- Variable speed, 1/4 HP motor
- 25 ft. AWG power cord
- Grounded auxiliary power outlets on control panel for daisy chain inline connection
- 16.5 lbs.
- 1 year limited warranty

HAWK - BH0001
Industrial Air Mover

- 3-speed, 1/2 HP motor
- 35 ft., 2-part power cord
- 3 Speeds - 2000, 2500 & 2950 CFM
- UL Listed
- Poly frame. Steel fan cage, handle and air guard.
- 230V available

Floor Machine Accessories

Splash Guard

- Custom Fit Design
- 13”, 15”, 17” & 20” sizes
- Super Strength Polyethylene

Vacuum Assembly Kit

- Triple filtration; foam, cloth, & paper
- Custom fit design for all floor machines
- 6 Quart tank vac, dust ring, hose and hardware

Dust Ring System

- 17” & 20” sizes
- Use with dust port system for Brute, Merlin and TEXHD
- Connects to Tank Vacuum

Motor Mounted Solution Sprayer

- 60 PSI electric pump
- 6” spray wand w/ 28° nozzle
- Choose shower feed to brushes or spray nozzle
- On/off control from operator position

Weight Sets

- Add weights to your floor machine for greater down pressure & faster results
- Custom design mounts on brush shroud or on the motor frame

Solution Tanks

- Multiple styles & sizes
- Classic colors
- Heavy duty hardware
- Chemical resistant roto-molded design